

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27805	storage near3 server	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 09:02
L2	261	write same (pre\$allocated pre\$allocating pre\$allocat\$3)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 09:03
L3	51	1 and 2	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 09:03
L4	9640	track near3 (buffer memory)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 09:03
L5	23	2 and 4	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 09:20
L6	1	3 and 4	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 09:04
L7	1	"6715413".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 09:22
L8	1	"6571326".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 09:42
L9	174	(allocat\$3 pre\$1allocat\$3) with prior with write	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 09:47
L10	17	1 and 9	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 14:04
L11	28	(track adj buffer) with flag	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 12:13
L12	12	flag with commit with memory	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 12:16
L13	1897	flag with (recovery restoration)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 12:22
L14	80	write with 13	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 12:17

EAST Search History

L15	3680	flag with (block segment) with (store stor\$3)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 12:25
L16	1388	15 with (identify identifying indicat\$3)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 12:29
L17	9	flag adj (block segment) adj (store stor\$3)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 12:27
L18	776	flag with (first second) with (block segment page) with (stor\$3)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 13:15
L19	258	18 with (identify identifying indicat\$3)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 12:41
L20	1	18 same (power near3 (loss failure))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 13:06
L21	14	15 same (power near3 (loss failure))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 13:53
L22	38	flag with (block segment page) with (power near2 (loss failure))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 13:51
L23	1	(track adj buffer) with (power near2 (loss failure))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 13:51
L24	1	(track adj buffer) same (power near2 (loss failure))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 13:52
L25	8888	flag with (write)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 13:52
L26	580	flag adj (write)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 13:52
L27	6	26 same (power near3 (loss failure))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 13:53
L28	1044	cache with (fast adj access)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 14:05

EAST Search History

L29	0	request with sent with cahe	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 14:05
L30	2533	request with sen\$1 with cache	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 14:06
L31	0	28 same 30	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 14:06
L32	68	28 and 30	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2006/12/14 14:06